



Caja

Aufbauleuchten I

Surface mounted

Vide

Surface Mounted

Fixed



20W

Power



Up to
1400lm

Lumen



2700K
3000K
4000K




CCT




RoHS



Product Information

Power	20W		
CRI	>95Ra		>90Ra
CCT	2700K	3000K	4000K
Lumen	1300lm	1350lm	1400lm
LOR	>85%		
Driver	500mA Dimmable Driver (included)		
Reflector	 15°	 25°	 40° included



System includes: fixture with integrated driver





Article No.	Description	Article No.	Description
S5.14.0210	Reflector 15° for Vide	S2.01.0927	Gold ring for Vide
S5.14.0211	Reflector 25° for Vide	S2.01.0928	Grey ring for Vide
		S2.01.0929	White ring for Vide
		S2.01.0930	Black ring for Vide



Vide 3000K

H [m]	[lux]	Beam [Ø cm]	Field [Ø cm]
1	3335	65	117
2	834	129	235
3	371	194	352
4	208	258	469
5	133	323	587

Beam (50%) Angle: 36° Field (10%) Angle: 61°



Article No.	Product Name	Housing Color	Ring Color	Lumen	CCT	CRI	Cooling	Power	Reflector
S2.17.0920	Surface mounted LED spot Vide fixed	Grey	Grey	1300lm	2700K	>95Ra	Passive	20W	40°
S2.17.0923	Surface mounted LED spot Vide fixed	Grey	Grey	1350lm	3000K	>95Ra	Passive	20W	40°
S2.17.0926	Surface mounted LED spot Vide fixed	Grey	Grey	1400lm	4000K	>90Ra	Passive	20W	40°
S2.17.0965	Surface mounted LED spot Vide fixed	White	White	1300lm	2700K	>95Ra	Passive	20W	40°
S2.17.0968	Surface mounted LED spot Vide fixed	White	White	1350lm	3000K	>95Ra	Passive	20W	40°
S2.17.0971	Surface mounted LED spot Vide fixed	White	White	1400lm	4000K	>90Ra	Passive	20W	40°
S2.17.1010	Surface mounted LED spot Vide fixed	Black	Black	1300lm	2700K	>95Ra	Passive	20W	40°
S2.17.1013	Surface mounted LED spot Vide fixed	Black	Black	1350lm	3000K	>95Ra	Passive	20W	40°
S2.17.1016	Surface mounted LED spot Vide fixed	Black	Black	1400lm	4000K	>90Ra	Passive	20W	40°

Product List




Vide


Surface Mounted

Versatile



Product Information

Power	20W		
CRI	>95Ra		>90Ra
CCT	2700K	3000K	4000K
Lumen	1300lm	1350lm	1400lm
LOR	>85%		
Driver	500mA Dimmable Driver (included)		
Reflector	 15°	 25°	 40° included






System includes: fixture with integrated driver



Article No.	Description	Article No.	Description
S5.14.0210	Reflector 15° for Vide	S2.01.0927	Gold ring for Vide
S5.14.0211	Reflector 25° for Vide	S2.01.0928	Grey ring for Vide
		S2.01.0929	White ring for Vide
		S2.01.0930	Black ring for Vide



Vide 3000K



Article No.	Product Name	Housing Color	Ring Color	Lumen	CCT	CRI	Cooling	Power	Reflector
S2.17.1136	Surface mounted LED spot Vide versatile	Grey	Grey	1300lm	2700K	>95Ra	Passive	20W	40°
S2.17.1139	Surface mounted LED spot Vide versatile	Grey	Grey	1350lm	3000K	>95Ra	Passive	20W	40°
S2.17.1142	Surface mounted LED spot Vide versatile	Grey	Grey	1400lm	4000K	>90Ra	Passive	20W	40°
S2.17.1181	Surface mounted LED spot Vide versatile	White	White	1300lm	2700K	>95Ra	Passive	20W	40°
S2.17.1184	Surface mounted LED spot Vide versatile	White	White	1350lm	3000K	>95Ra	Passive	20W	40°
S2.17.1187	Surface mounted LED spot Vide versatile	White	White	1400lm	4000K	>90Ra	Passive	20W	40°
S2.17.1226	Surface mounted LED spot Vide versatile	Black	Black	1300lm	2700K	>95Ra	Passive	20W	40°
S2.17.1229	Surface mounted LED spot Vide versatile	Black	Black	1350lm	3000K	>95Ra	Passive	20W	40°
S2.17.1232	Surface mounted LED spot Vide versatile	Black	Black	1400lm	4000K	>90Ra	Passive	20W	40°

Product List

Caja


Surface Mounted

Versatile Square 1 & 2-light



Product Information

System Power	11W		
CRI	>93Ra		
CCT	2700K	3000K	4000K
LED Lumen	660lm	700lm	850lm
LOR	>85%		
Driver	250mA Dimmable Driver (included)		
Reflector	 25°	 38° included	 60°






System includes: fixture with integrated driver

* Product Information per spot head.


On Request

Article No.	Description	Article No.	Description
S5.14.0218	Reflector 25° for Caja	S2.01.0976	Front ring white for Caja
S5.14.0220	Reflector 60° for Caja	S2.01.0977	Front ring black for Caja
		S2.01.0979	Cover plate white for Caja 1-light
		S2.01.0980	Cover plate black for Caja 1-light
		S2.01.0982	Cover plate white for Caja 2-light
		S2.01.0983	Cover plate black for Caja 2-light

Caja



Article No.	Product Name	Color	LED Lumen	CCT	CRI	Cooling	LED Power	Reflector	Product List
S2.17.1578	Surface mounted LED spot Caja 1-light	White	660lm	2700K	>93Ra	Passive	9W	38°	
S2.17.1581	Surface mounted LED spot Caja 1-light	White	700lm	3000K	>93Ra	Passive	9W	38°	
S2.17.1584	Surface mounted LED spot Caja 1-light	White	850lm	4000K	>93Ra	Passive	9W	38°	
S2.17.1587	Surface mounted LED spot Caja 1-light	Black	660lm	2700K	>93Ra	Passive	9W	38°	
S2.17.1590	Surface mounted LED spot Caja 1-light	Black	700lm	3000K	>93Ra	Passive	9W	38°	
S2.17.1593	Surface mounted LED spot Caja 1-light	Black	850lm	4000K	>93Ra	Passive	9W	38°	



Article No.	Product Name	Color	LED Lumen	CCT	CRI	Cooling	LED Power	Reflector	Product List
S2.17.1605	Surface mounted LED spot Caja 2-light	White	2* 660lm	2700K	>93Ra	Passive	2* 9W	38°	
S2.17.1608	Surface mounted LED spot Caja 2-light	White	2* 700lm	3000K	>93Ra	Passive	2* 9W	38°	
S2.17.1611	Surface mounted LED spot Caja 2-light	White	2* 850lm	4000K	>93Ra	Passive	2* 9W	38°	
S2.17.1614	Surface mounted LED spot Caja 2-light	Black	2* 660lm	2700K	>93Ra	Passive	2* 9W	38°	
S2.17.1617	Surface mounted LED spot Caja 2-light	Black	2* 700lm	3000K	>93Ra	Passive	2* 9W	38°	
S2.17.1620	Surface mounted LED spot Caja 2-light	Black	2* 850lm	4000K	>93Ra	Passive	2* 9W	38°	

Rondella LED


Surface Mounted or Pendant

LED




Product Information

Size	400mm		600mm		900mm		1200mm	
LED Power	13W		28W		56W		98W	
CRI	>80Ra							
CCT	3000K	4000K	3000K	4000K	3000K	4000K	3000K	4000K
LED Lumen	1950lm	2000lm	4250lm	4400lm	8500lm	8800lm	14950lm	15450lm
LED Efficacy	150lm/W	154lm/W	152lm/W	157lm/W	152lm/W	157lm/W	153lm/W	158lm/W
Driver	Non-Dimmable Driver (included)							
Accessories	Pendant set with cable 1350mm							



System includes: fixture and driver

On Request	Article No.	Description	Article No.	Description
	S5.14.0157	Cover 400mm	-	Dimmable driver available only on request
	S5.14.0158	Cover 600mm		
	S5.14.0159	Cover 900mm		
	S5.14.0160	Cover 1200mm		



Article No.	Product Name	Size	Color	LED Lumen	CCT	CRI	Cooling	LED Power
S2.17.0329	Rondella LED	400mm	Grey	1950lm	3000K	>80Ra	Passive	13W
S2.17.0330	Rondella LED	400mm	White	1950lm	3000K	>80Ra	Passive	13W
S2.17.0331	Rondella LED	400mm	Grey	2000lm	4000K	>80Ra	Passive	13W
S2.17.0332	Rondella LED	400mm	White	2000lm	4000K	>80Ra	Passive	13W
S2.17.0333	Rondella LED	600mm	Grey	4250lm	3000K	>80Ra	Passive	28W
S2.17.0334	Rondella LED	600mm	White	4250lm	3000K	>80Ra	Passive	28W
S2.17.0335	Rondella LED	600mm	Grey	4400lm	4000K	>80Ra	Passive	28W
S2.17.0336	Rondella LED	600mm	White	4400lm	4000K	>80Ra	Passive	28W
S2.17.0337	Rondella LED	900mm	Grey	8500lm	3000K	>80Ra	Passive	56W
S2.17.0338	Rondella LED	900mm	White	8500lm	3000K	>80Ra	Passive	56W
S2.17.0339	Rondella LED	900mm	Grey	8800lm	4000K	>80Ra	Passive	56W
S2.17.0340	Rondella LED	900mm	White	8800lm	4000K	>80Ra	Passive	56W
S2.17.0341	Rondella LED	1200mm	Grey	14950lm	3000K	>80Ra	Passive	98W
S2.17.0342	Rondella LED	1200mm	White	14950lm	3000K	>80Ra	Passive	98W
S2.17.0343	Rondella LED	1200mm	Grey	15450lm	4000K	>80Ra	Passive	98W
S2.17.0344	Rondella LED	1200mm	White	15450lm	4000K	>80Ra	Passive	98W

LupaStick LED

Surface Mounted

LED





Product Information	Length	277mm	505mm	538mm	838mm	1138mm	1438mm						
	Power	4W	7W	9W	13W	18W	22W						
	CRI	>80Ra											
	CCT	3000K	4000K	3000K	4000K	3000K	4000K	3000K	4000K	3000K	4000K		
	LED Lumen	270lm	300lm	495lm	550lm	650lm	720lm	950lm	1050lm	1390lm	1550lm	1620lm	1800lm
	Beam Angle	120°											
	Max. Connectable Length	12 pieces											
	Accessories	Coupling piece and coupling cable 20cm (included) Power cable white with plug 180cm (included) Mounting kit (included)											

On Request	Article No.	Description
	S2.01.0535	Coupling cable white 50cm
	S2.01.0536	Coupling cable white 100cm

LupaStick LED 22W 4000K

H [m]	Max [lux]	Med [lux]	Beam [Ø cm]
1	379	120	330
2	95	30	670
3	42	13	1000
4	34	11	1330
5	15	5	1670

Beam (50%) Angle: 118°



Article No.	Product Name	Length	Color	LED Lumen	CCT	CRI	Cooling	Beam Angle
S2.12.0289	LupaStick LED 4W	277mm	White	270lm	3000K	>80Ra	Passive	120°
S2.12.0290	LupaStick LED 4W	277mm	White	300lm	4000K	>80Ra	Passive	120°
S2.12.0291	LupaStick LED 7W	505mm	White	495lm	3000K	>80Ra	Passive	120°
S2.12.0292	LupaStick LED 7W	505mm	White	550lm	4000K	>80Ra	Passive	120°
S2.12.0293	LupaStick LED 9W	538mm	White	650lm	3000K	>80Ra	Passive	120°
S2.12.0294	LupaStick LED 9W	538mm	White	720lm	4000K	>80Ra	Passive	120°
S2.12.0295	LupaStick LED 13W	838mm	White	950lm	3000K	>80Ra	Passive	120°
S2.12.0296	LupaStick LED 13W	838mm	White	1050lm	4000K	>80Ra	Passive	120°
S2.12.0297	LupaStick LED 18W	1138mm	White	1390lm	3000K	>80Ra	Passive	120°
S2.12.0298	LupaStick LED 18W	1138mm	White	1550lm	4000K	>80Ra	Passive	120°
S2.12.0299	LupaStick LED 22W	1438mm	White	1620lm	3000K	>80Ra	Passive	120°
S2.12.0300	LupaStick LED 22W	1438mm	White	1800lm	4000K	>80Ra	Passive	120°

Product List