




Spezielles I

Specials

Astro

Display Spotlight

LED





50W
Power

3568lm
Lumen


3000K
CCT



Product Information	System Power	50W
	CRI	>80Ra
	CCT	3000K
	LED Lumen	3568lm
	LOR	75%
	Driver	Osram Multicurrent Non-Dimmable Driver (included)
	Reflector	 41° included
Accessories	Mounting Clamp (included)	




System includes: driver, epcom/2 connection and fixture



Astro 3000K

H [m]	[lux]	Beam [Ø cm]	Field [Ø cm]
1	5170	70	150
2	1292	150	290
3	574	220	440
4	323	300	580
5	207	370	730

Beam (50%) Angle: 41° Field (10%) Angle: 72°




Article No.	Product Name	Color	Lumen	CCT	CRI	Cooling	System Power	Reflector
S2.17.0314	Display Spotlight Astro	White	3568lm	3000K	>80Ra	Passive	50W	41°


Bestro


Wall Lamp

Aimable with switch



System includes: fixture with integrated driver and switch



System Power	4.2W
CRI	>80Ra
CCT	2800K
Hot Lumen	145lm
Driver	700mA Non-Dimmable Driver (included)
Lens	 40° included


Product Information

Bestro 2800K

H [m]	[lux]	Beam [Ø cm]	Field [Ø cm]
1	5170	70	150
2	1292	150	290
3	574	220	440
4	323	300	580
5	207	370	730

Beam (50%) Angle: 41°

Field (10%) Angle: 72°



Article No.	Product Name	Color	Lumen	CCT	CRI	Cooling	LED Power	Beam Angle
S2.19.0189	Bestro bedside lamp	White	145lm	2800K	80Ra	Passive	2.1W	40°
S2.19.0190	Bestro bedside lamp	Black	145lm	2800K	80Ra	Passive	2.1W	40°


LED Line coming soon



Wall bracket for mounting the flexible profile with LED strip between two surfaces



Wall bracket for mounting the LED line on a single surface



Wall bracket for mounting 2 or 3 LED profiles out of a single point




Forte

3-Phase Track Light


Up to 100W




* Available in the near future



Product Information

Current	900mA / 1200mA / 1450mA (adjustable with switch)	
System Power	71W / 93W / 112W (adjustable with switch)	
CRI	>80Ra	
CCT	3000K	4000K
LED Lumen	Up to 9000lm	Up to 9000lm
LED Efficacy	Up to 97lm/W	Up to 97lm/W
LOR	Up to 85%	
Driver	Non-Dimmable Driver (included)	
Reflector	 70° x 100° included	
Accessories	Barn doors (included)	



Article No.	Product Name	Color	LED Lumen	CCT	CRI	Cooling	LED Power	Reflector
S2.17.05613	3-Phase Track light Forte	Grey	Max. 9000lm	3000K	>80Ra	Passive	up to 100W	70° x 100°
S2.17.05623	3-Phase Track light Forte	Grey	Max. 9000lm	4000K	>80Ra	Passive	up to 100W	70° x 100°
S2.17.05633	3-Phase Track light Forte	Black	Max. 9000lm	4000K	>80Ra	Passive	up to 100W	70° x 100°
S2.17.05643	3-Phase Track light Forte	Black	Max. 9000lm	3000K	>80Ra	Passive	up to 100W	70° x 100°

Product List